

Table 6 - BMPs at Construction sites less than 1 acre

<b>Minimum Set of BMPs for All Construction Sites</b>	<b>CASQA Handbook</b>	<b>Caltrans Handbook</b>
<b>For Erosion Control</b>		
Scheduling	EC-1	SS-1
Preservation of Existing Vegetation	EC-2	SS-2
<b>Sediment Controls</b>		
Silt Fence	SE-1	SC-1
Sand Bag Barrier	SE-8	SC-8
Stabilized Construction Site Entrance/Exit	TC-1	TC-1
<b>Non-Storm Water Management</b>		
Water Conservation Practices	NS-1	NS-1
Dewatering Operations (Groundwater dewatering only under NPDES Permit No. CAG994004). <sup>1</sup>	NS-2	NS-2
<b>Waste Management</b>		
Material Delivery and Storage	WM-1	WM-1
Stockpile Management	WM-3	WM-2
Spill Prevention and Control	WM-4	WM-4
Solid Waste Management	WM-5	WM-5
Concrete Waste Management	WM-8	WM-8
Sanitary/ Septic Waste Management	WM-9	WM-9

2. BMP Implementation - Construction Sites One Acre but Less than 5 acres.

- (a) Each Permittee shall require the implementation of an effective combination of appropriate erosion and sediment control BMPs from Table 7 in addition to the ones identified in Table 6 to prevent erosion and sediment loss, and the discharge of construction wastes:

Table 7 - BMPs at Construction sites 1 acre or greater but less than 5 acres

<b>BMPs</b>	<b>CASQA Handbook</b>	<b>Caltrans Handbook</b>
<b>For Erosion Control</b>		
Hydraulic Mulch	EC-3	SS-3
Hydroseeding	EC-4	SS-4
Soil Binders	EC-5	SS-5
Straw Mulch	EC-6	SS-6
Geotextiles and Mats	EC-7	SS-7
Wood Mulching	EC-8	SS-8
<b>Sediment Controls</b>		
Fiber Rolls	SE-5	SC-5
Gravel Bag Berm	SE-6	SC-6
Street Sweeping and/ or Vacuum	SE-7	SC-7
Storm Drain Inlet Protection	SE-10	SC-10
<b>Additional Controls</b>		
Wind Erosion Controls	WE-1	WE-1

<sup>1</sup> Poned storm water may be discharged at a concentration of Total Suspended Solids (TSS) of 100mg/L or less.